Application/Control Number: 10/816,780 Page 2

Art Unit: 3773

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Douglas A. Oguss, Reg. No. 48,469; on August 12, 2010.

2. The application has been amended as follows:

In claim 25, line 1, delete "A limb forming a portion of a stent, the," and in its place, insert –A stent comprising portions formed by limbs, each--.

3. The following is an examiner's statement of reasons for allowance: None of the prior art of record, alone or in combination, discloses a stent including, inter alia, at least one limb having a cross-sectional profile in which at least one segment is flat and straight, each limb is comprised of two curved portions having opposite directions of curvature, an intermediate straight, flat mid-portion connecting the two curved portions and a short, straight segment at each end; where the short, straight segments are joined to a short, straight segment of an adjacent limb to form a point of attachment, where the short, straight segments at the points of attachment are substantially parallel to one another in an expanded state, and where the short, straight segments are substantially identical to one another.

Application/Control Number: 10/816,780 Page 3

Art Unit: 3773

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Julian W. Woo whose telephone number is 571-272-4707. The examiner can normally be reached on M-TH:6:30-4:00; alt. Fri.: 6:30-3:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tan-Uyen (Jackie) Ho can be reached on 571-272-4696. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Julian W. Woo/ Primary Examiner, Art Unit 3773